


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.57



HARDY PERENNIALS

WHOLESALE

HAMMONTON HARDY PLANT NURSERY

HAMMONTON

NEW JERSEY

FALL 1925

INTRODUCTION

In presenting our fall catalogue to the horticultural trade, we take the opportunity of thanking our friends for their kindly support during the last three years. We set out to grow only perennials and to confine ourselves strictly to a wholesale trade. The steady increase in our business has confirmed our faith in the soundness of that policy. Impelled by new enthusiasm, we shall rigidly adhere to that policy and shall leave nothing undone to ensure complete satisfaction to our customers.

A perusal of our catalogue will show that while we grow most of the popular favorites, we have many plants that are unusual and different. With few exceptions the stocks offered are large, and we are confident of being able to take care of all orders entrusted to us. Our descriptions have been taken from plants when in flower and no pains have been spared to make them accurate and dependable.

TERMS

Accounts are due in thirty days.

Orders from unknown correspondents, unaccompanied by cash or references, will not be filled. If plants are required in a hurry, we suggest that cash and references be sent with the first order. This will be promptly forwarded, and we will at once take up the question of shipping future orders on open account.

Prices in this catalogue include packing.

HARDY PERENNIALS

| | Per Doz.—Per 100 | |
|---|------------------|---------|
| ACHILLEA | | |
| filipendulina. A strong growing plant with fern-like foliage, bearing large, flat heads of yellow flowers. 4 ft. July-August. | \$2.00 | \$12.00 |
| Ptarmica Boule de Neige. This and the following variety are among the most valuable of hardy plants for cutting. If they are cut hard back after the first flowers are past a second crop will be produced in early fall. Sprays of small double white flowers. 12 to 18 inches. June-September. | 1.50 | 10.00 |
| “ The Pearl. A stronger growing variety than the foregoing, bearing larger flowers. 2 ft. June-September. | 1.50 | 10.00 |
| tomentosa. A dwarf rock plant bearing heads of bright yellow flowers. 6 in. June. | 1.50 | 10.00 |
| AETHIONEMA (Lebanon Candytuft). A family of rare and beautiful, dwarf sub-shrubs thriving in sunny, well drained positions on the rock garden. | | |
| coridifolium. A trailing species bearing heads of bright pink flowers. 9 inches. April-May. | 3.00 | 20.00 |
| grandiflorum. A dainty and beautiful plant. It forms a compact bush and is covered in July with clusters of pink flowers. | 3.00 | 20.00 |
| AGROSTEMMA | | |
| coronaria. Bright crimson flowers and gray woolly foliage making a pleasing contrast. 2 ft. June-July. | 1.25 | 8.00 |
| “ alba. A white variety of the preceding. | 1.25 | 8.00 |

| | Per Doz.—Per 100 | |
|--|------------------|-------|
| AJUGA genevensis. Short spikes of intense blue flowers. A good rock plant. 6 inches. June. | 1.50 | 10.00 |
| ALYSSUM | | |
| argenteum. Large flat heads of golden yellow flowers borne on wiry stems. 1 ft. May-June. | 1.50 | 10.00 |
| saxatile compactum. (Gold Dust) One of the most popular of spring flowering plants. Masses of yellow flowers in April and May. 1 ft. | 1.25 | 8.00 |
| ANCHUSA italica Opal. Tall spikes of pale blue flowers, resembling giant forget-me-nots. 4 ft. June- July. | 2.00 | 12.00 |
| ANEMONE | | |
| Pulsatilla (Pasque Flower). Large cup shaped, bluish purple flowers, filled with golden anthers, borne singly on stems 1 ft. high. April-May. | 1.50 | 10.00 |
| “ rubra. A mahogany colored form of the last fl | 1.50 | 10.00 |
| ANTHEMIS tinctoria Kelwayi. Bright yellow daisy-like flowers in great profusion. Good for cutting. 2 ft. June-September. | 1.25 | 8.00 |
| AQUILEGIA (Columbine). An attractive and popular group of spring flowering plants which should be well represented in every collection of per- ennials. They are adapted for border or rock garden and their bright, various colored flowers are valuable for cutting. | | |
| chrysantha. A tall and beautiful species bearing soft yellow flowers. 3 ft. May-June. | 1.50 | 10.00 |
| coerulea. Blue and white flowers with long slender spurs. 2 ft. May-June. | 1.50 | 10.00 |
| flabellata. A dwarf species bearing ivory white flow- ers. 1 ft. May—June. | 1.50 | 10.00 |
| Mrs. Scott Elliott's Strain. This is probably the best strain of long spurred hybrids. The flowers are of rich and varied colors. 2-3 ft. May-June. | 1.50 | 10.00 |
| nivea grandiflora. Large pure white flowers. Strong grower. 2½ ft. May-June. | 1.25 | 8.00 |
| ARABIS (Rockcress) | | |
| alpina. A useful early flowering plant suitable for rock garden, border or for spring bedding. 9 inches. April-May. | 1.50 | 10.00 |
| “ fl. pl. A double flowered variety of the above. | 2.50 | 15.00 |

| | Per Doz.— | Per 100 |
|--|-----------|---------|
| ARENARIA. (Sandwort) | | |
| laricifolia. White flowers freely borne on wiry stems. 6 inches. May-June. | 2.00 | 12.00 |
| montana. One of the best rock plants for trailing over a ledge. Cascades of glistening white flowers in May. | 2.00 | 12.00 |
| ARMERIA. (Thrift, Sea Pink) | | |
| alpina. A dwarf, dainty species with heads of pink flowers. 4 inches. April-May. | 1.50 | 10.00 |
| Cephalotes. (Giant Thrift). Strong tufts of foliage and heads of silvery pink flowers borne on stout stems. 1 ft. May-July. | 1.50 | 10.00 |
| maritima alba. Compact tufts of grass-like foliage en- tirely covered in May and June with globular heads of white flowers. 6 inches. | 1.50 | 10.00 |
| “ Lauchiana. Similar to the preceding but having pink flowers. | 1.25 | 8.00 |
| ARTEMISIA | | |
| lactiflora.. Fragrant spiraea-like plumes of creamy white flowers are borne on stout, erect stems from August to October. 5-6 ft. | 1.50 | 10.00 |
| ASCLEPIAS tuberosa. Strong stems treminating in clusters of bright orange red flowers. 2½ ft. July-September. | 1.50 | 10.00 |
| ASPHODELINE (Asphodel) | | |
| lutea. Grassy foliage and stately spikes of yellow lily- like flowers. 3-4 ft. May-June. | 2.00 | 12.00 |
| ASTER. (Michaelmas Daisy, Starwort). As a plant of general usefulness the aster stands unrivaled. The great variety in color, size of flower, time of flowering and height, combined with simple cultural requirements make it one of the most desirable of hardy plants. Many of the varieties are excellent for cutting. The finest flowers and strongest spikes are obtained if the plants are divided annually. | | |

NEW VARIETIES

| | | |
|---|------|-------|
| Chastity . Graceful arching sprays of white flowers. 3 ft. September. | 2.00 | 12.00 |
| Bluebeard . Very large, heliotrope flowers on strong, erect stems. 4 ft. September and October. | 2.00 | 12.00 |

| | Per Doz.—Per 100 | |
|---|------------------|-------|
| Enchantress. Compact bushes of heath-like foliage entirely covered with small, dainty, pale lavender flowers. 3½ ft. September. | 2.00 | 12.00 |
| King Edward VII. Long slender stems thickly clothed with deep lavender flowers. 4 ft. September-October. | 2.00 | 12.00 |
| Louvain. Symmetrical bush-like habit.. The foliage is completely hidden by masses of medium size, delicate pink flowers. 3 ft. September. | 2.00 | 12.00 |
| Lovely Numerous erect stems form a dense bush, the whole plant being entirely hidden by masses of pink flowers in September. 2 ft. | 2.00 | 12.00 |
| Osprey. A compact bush smothered with creamy white flowers. September. 2½ ft. | 2.00 | 12.00 |
| Golden Spray. Drooping sprays of white flowers with conspicuous yellow anthers. 3 ft. September. | 2.00 | 12.00 |
| The Queen. The flowers are extra large and are borne in loose sprays on long straight stems. They open pale mauve and turn nearly white with age. 4 ft. September. | 2.00 | 12.00 |

GENERAL COLLECTION

| | | |
|--|------|-------|
| Climax. Large, pale mauve flowers, with yellow centers, are borne on long slender stems. 5 ft. September-October. | 1.50 | 10.00 |
| Maggie Perry. Soft pink flowers borne in immense trusses. 4 ft. September-October. | 2.50 | 15.00 |
| Blue Gem. Bright blue flowers with three or four rows of petals. This is probably the best blue aster. 3 ft. August-September. | 2.50 | 15.00 |
| Perry's White. A very free flowering variety of graceful habit. The flowers are large and of good substance. Excellent for cutting. 4 ft. September-October. | 1.50 | 10.00 |
| St. Ewyn. This variety forms a compact bush, and during September is entirely covered with large, clear pink flowers. One of the best asters in cultivation. 2½ ft. | 1.50 | 10.00 |
| Well's White. Stout, erect stems bearing a profusion of medium size flowers, creamy white in color. 4 ft. August-September. | 1.50 | 10.00 |
| White Climax. A pure white variety of Climax. | 1.50 | 10.00 |

| | Per Doz.—Per 100 | |
|---|------------------|-------|
| N. A. Lil Fardel. Large, clear pink flowers. 4 ft. September-October. | 1.50 | 10.00 |
| ASTER, DWARF ALPINE | | |
| alpinus. Large bluish purple flowers. 9 inches. May-June. | 1.50 | 10.00 |
| “ albus. A white variety of the foregoing. | 1.50 | 10.00 |
| AUBRIETIA deltoidea. Raised from seed of named varieties of this species; various shades of pink and lavender. 6 inches. April-May. | | |
| BAPTISIA australis. (False Indigo) A first rate border plant bearing sprays of dark indigo blue flowers, resembling lupines. When well established, this is a valuable plant for cutting. 3 ft. June-July. | | |
| | 1.50 | 10.00 |
| BOCCONIA cordata. A tall growing, stately plant with handsome, gray, glaucous foliage bearing panicles of creamy white flowers. 6 to 8 ft. July-August. | | |
| | 1.25 | 8.00 |
| BOLTONIA | | |
| asteroides. A tall aster-like plant of vigorous habit, more suitable for naturalizing than for border. | 1.25 | 8.00 |
| latisquama. Not so strong growing as the last. Pink flowers. 5-6 ft. September. | 1.25 | 8.00 |
| “ nana. A somewhat uncommon plant deserving wider recognition. It forms a compact bush, 3 ft. in height, and in September is smothered with dainty pink flowers. | 2.00 | 12.00 |
| CAMPANULA (Bellflower) One of the most beautiful and important families of hardy plants. Having a very wide geographical distribution, its members are extremely varied in character and are adapted for rock garden, border and woodland. | | |
| allariaefolia. Handsome heart shaped leaves and creamy white, pendulous flowers. 2½ ft. June. | 1.50 | 10.00 |
| bononiensis. Small blue flowers profusely borne on numerous slender, graceful stems. 2½ ft. June. | 1.50 | 10.00 |
| carpatia. This is one of the few dwarf plants that flower during late summer, and on that account is particularly desirable for the front of a | | |

Per Doz.—Per 100

CAMPANULA (Continued)

border or rock garden. It produces branching stems bearing upright, cup-shaped blue flowers, 1½ inches or more in diameter. 1 ft. July-August. We would point out that our stock of this and the following variety have been propagated by cuttings from one plant each of their respective colors, selected from a large number of seedlings. This ensures uniformity of shade of color, shade of flower and habit of growth.

| | | |
|--|------|-------|
| | 1.50 | 10.00 |
| “ alba. A white variety of the preceding. | 1.50 | 10.00 |
| glomerata. Clusters of tubular, violet-purple flowers, borne on strong upright stems. 1½ ft. July. | 1.50 | 10.00 |
| Medium. (Canterbury Bell). Blue, pink, white, separate. | 1.00 | 7.00 |
| “ calycanthema. (Cup and Saucer) Mixed Colors. | 1.00 | 7.00 |
| pericifolia. Slender, graceful stems studded with blue, cup shaped flowers in June and July. 2½ ft. | 1.50 | 10.00 |
| “ alba. A white variety of the above. | 1.50 | 10.00 |

CARYOPTERIS (Blue Spiraea)

mastacanthus. A compact free flowering plant of sub-shrubby habit with attractive gray foliage; it is covered during fall with trusses of lavender-purple flowers. 2½ ft.

1.50 10.00

CASSIA (Indian Senna)

marylandica. Clusters of yellow pea shaped flowers. 5-6 ft. July-September.

1.50 10.00

CATANACHE (Cupidone)

coerulea. A free flowering, old fashioned plant; blue flowers which last well when cut. 1½ ft. June-August.

1.25 8.00

CENTAUREA

dealbata. Handsome, deeply cut foliage, white on the under side; rose pink flowers, 2 ft. July-September.

1.50 10.00

macrocephala. A stately plant of robust habit, bearing large globular heads of golden yellow flowers. 4 to 5 ft. July-August.

1.50 10.00

montana. Woolly foliage and bright blue flowers. 1½ ft. June-July.

1.50 10.00

“ **alba.** A white variety of the preceding.

1.50 10.00

| | Per Doz.—Per 100 | |
|---|------------------|-------|
| CENTAUREA (continued) | | |
| ruthenica. Finely divided leaves and golden yellow flowers borne on slender, graceful stems. 3 ft. July. | 1.50 | 10.00 |
| CEPHALARIA tartarica. A tall scabiosa-like plant bearing large golden yellow flowers on long stems. | 1.25 | 8.00 |
| CERASTIUM tomentosum. Forms a carpet of silvery foliage, covered in May with pure white flowers. | 1.50 | 10.00 |
| CHRYSANTHEMUM | | |
| maximum. (Shasta Daisy). A useful plant for cutting, the large, white daisy-like flowers are produced over a long period. 2 ft. June-September. | 1.25 | 8.00 |
| uliginosum. White flowers with green centers on long straight stems. 4-5 ft. August-September. | 1.50 | 10.00 |
| CLEMATIS integrifolia. Drooping, blue flowers are borne towards the top of erect stems about 2 ft. high. July-August. | 2.00 | 12.00 |
| COREOPSIS grandiflora. One of the best hardy plants for cutting; bright yellow flowers are borne on long graceful stems throughout the summer. 2½ ft. | 1.00 | 7.00 |
| DELPHINIUM | | |
| Belladonna. An invaluable plant for cutting; sky-blue flowers in great profusion from June until frost. 2½ to 3 ft. | 1.25 | 8.00 |
| formosum. A robust growing Larkspur having dark blue flowers with white centers. 4 ft. June-September. | 1.25 | 8.00 |
| grandiflorum. (chinense) Gentian-blue and finely divided foliage. 2 ft. June-September. | 1.25 | 8.00 |
| “ album. A white variety of the above. | 1.25 | 8.00 |
| Mixed Hybrids. Raised from seed of H. J. Jones' named varieties. | 1.25 | 8.00 |
| DIANTHUS | | |
| alpinus. A lovely dwarf Alpine with large deep pink flowers borne close down to the foliage, which they entirely hide. | 3.00 | 20.00 |
| arenarius. A desirable rock plant of compact, tufted habit. During May and June the foliage is entirely hidden by masses of deeply fringed, fragrant, white flowers borne on 6 inch stems. | 1.50 | 10.00 |

| | | Per Doz.—Per 100 | |
|--|--|------------------|-------|
| DIANTHUS (Continued) | | | |
| caesius. (Cheddar Pink) | Blue gray cushions of foliage and rosy pink, sweetly scented flowers. May-June. | 1.50 | 10.00 |
| deltoides. (Maiden Pink) | A trailing rock plant also useful for border edging. June-July. | 1.50 | 10.00 |
| “ albus. | A white variety of the foregoing. | 1.50 | 10.00 |
| “ Brilliant. | A vivid crimson variety. | 1.50 | 10.00 |
| plumarius. | A first rate mixture of fragrant, beautifully frilled flowers varying from white to crimson. | 1.25 | 8.00 |
| “ Miss Gladys Cranfield. | A new variety of exceptional merit. It is of compact growth and bears large, flat rosy lilac flowers with velvety maroon centers on stems about 1 ft. high. The plants we offer are not seedlings, but the true stock. | 2.50 | 15.00 |
| DIETLYTRA formosa. | Dainty fern-like foliage and pendulous, lyre shaped flowers of a pleasing shade of pink. 1 ft. May-August. | 2.00 | 12.00 |
| DIGITALIS (Foxglove). | One of the showiest and most attractive of old fashioned favorites whose popularity is continually increasing. | | |
| gloxinaeflora. | Pink, purple, white, separate. | 1.00 | 7.00 |
| “ The Shirley. | A new strain raised by the late Rev. W. Wilks, the originator of the well known Shirley Poppies. The flowers are of enormous size and vary in color from pure white to deepest rose. | 1.50 | 10.00 |
| DRACOCEPHALUM Ruyschianum. | One of the showiest of spring flowering plants and one we highly recommend to those seeking something unusual. It forms a clump of many stems, each stem being thickly covered during May with purplish-blue, tubular flowers. 1 ½ ft. | 2.00 | 12.00 |
| ECHINACEA purpurea. (Purple Coneflower) | A distinct plant of uncommon beauty. Large pinkish purple flowers having cone-shaped, orange-red centers are borne on strong, straight stems 3 to 4 feet in height. July-August. | 1.50 | 10.00 |

| | | Per Doz.—Per 100 | |
|---|--|------------------|-------|
| ECHINOPS (Globe Thistle) Vigorous and stately plants, ornamental both in flower and foliage. The large, handsome leaves are spiny at the tips and are covered with silvery down. | | | |
| Ritro. | Globular heads of glistening blue flowers. 4 ft. July-August. | 1.50 | 10.00 |
| sphaerocephalus. | Heads of grayish white flowers. 6 ft. August. | 1.50 | 10.00 |
| ERIGERON | | | |
| glaucus. | Violet blue flowers. 1½ ft. May-June. | 1.50 | 10.00 |
| speciosus. | A free flowering and vigorous plant bearing medium size, purplish-lilac, daisy-like flowers. Good for cutting. 2 ft. July-August. | 1.25 | 8.00 |
| ERINUS | | | |
| alpinus. | Pretty rosettes of foliage and racemes of rosy purple flowers. A first rate rock plant and also invaluable for establishing on old walls and between steps. 6 in. May-June. | 2.50 | |
| " | albus. A white variety of the foregoing. | 2.50 | |
| ERIOPHYLLUM caespitosum. | A good plant for dry position on rock garden. Bright yellow flowers and gray foliage. 9 in. June-July. | 2.50 | 15.00 |
| ERYNGIUM (Sea Holly) | | | |
| planum. | Small flower heads and steely blue stems. Good for cutting and drying. 2½ ft. July-August. | 1.25 | 8.00 |
| EUPATORIUM | | | |
| coelestinum. | Very free flowering and one of the best hardy plants for cutting. Masses of blue, ageratium like flowers from August to October. 2 ft. | 1.25 | 8.00 |
| Fraseri. | Feathery white flowers. 2 ft. July-September. | 1.25 | 8.00 |
| EUPHORBIA (Spurge) | | | |
| corollata. | The value of this plant for cutting is not fully appreciated. It is well adapted for shipping, and its small pure white flowers take the place of Gypsophila paniculata when that is past. Best results are obtained by allowing it to remain undisturbed for several years. 1½ to 2 ft. August-September. | 1.25 | 8.00 |

Per Doz.—Per 100

EUPHORBIA (continued)

Myrsinites. An uncommon plant particularly suitable for a hot, dry position on rock garden. It is of trailing habit and has thick stems covered with blue-gray, glaucous leaves; each stem terminates in a cluster of bright yellow bracts. June-July.

2.00 12.00

polychroma. A conspicuous object in early spring. It has a bushy, much branched habit, each branch bearing a head of yellow bracts. 2 ft. April.

1.50 10.00

FUNKIA undulata variegata. Creamy white and green variegated leaves. 9 inches.

1.50 10.00

GALEGA (Goats' Rue)

officinalis. Clusters of fragrant, bluish lilac, pea shaped flowers. 2-3 ft. July.

1.25 8.00

" **alba.** A white variety of the above.

1.25 8.00

GERANIUM

sanguineum. Forms a thick mass of prostrate stems and bears a profusion of saucer shaped, blood red flowers. 1 ft. June-August.

2.00 12.00

" **album.** A white variety of the above.

2.00 12.00

GEUM

Lady Stratheden. A new variety similar in habit and growth to the well known Geum Mrs. Bradshaw. It bears large, old gold, double flowers. 2 ft. May-June.

1.50 10.00

Mrs. Bradshaw. One of the most striking of hardy plants. Slender, branching stems are produced from tufts of evergreen foliage and bear large, rich scarlet, double flowers in great profusion. A good plant for cutting. 2 ft. May-June.

1.50 10.00

GLOBULARIA tricosantha. (Globe Daisy) A low growing rock plant bearing globular heads of pale blue flowers arising from tufts of shiny green foliage. 6 in. May-June.

1.50 10.00

GYPHOPHILA

paniculata. Cloud-like masses of small white flowers. One of the most popular and useful plants for cutting. 2½ ft. July.

1.25 8.00

repenr. A dwarf trailer, excellent for cascading down the slopes of the rock garden. Masses of small white flowers. June-July.

1.50 10.00

| | Per Doz.— | Per 100 |
|--|-----------|---------|
| HELENIUM. Strong growing plants, valuable for producing late summer and fall effects in woodland or herbaceous border. Also useful as a cut flower. | | |
| autumnale Riverton Beauty. Clear yellow flowers with black centers. 4 ft. August-September. | 1.50 | 10.00 |
| “ Riverton Gem. Rich mahogany-red flowers. 4 ft. August-September. | 1.50 | 10.00 |
| “ superbum. Yellow. 4 ft. August-September. | 1.50 | 10.00 |
| Hoopesi. Large heads of deep yellow flowers. 2 ft. June-July. | 1.50 | 10.00 |
| HELIANTHEMUM. (Rock or Sun Rose).. Dwarf evergreen shrubs of spreading habit, which for freedom of flowering and brilliancy of coloring are equalled by few and excelled by no other family of plants. Delighting in full sun, they will thrive on a hot sunny bank where few other plants will exist. Massed on the rock garden or front of herbaceous border, they are the most gorgeous sight in the garden during June. These plants deserve the close attention of all who are interested in rock gardening. | | |
| Fireball. Brilliant scarlet.. 9 inches | 2.00 | 12.00 |
| macranthum. Large creamy white. 6 inches. | 2.00 | 12.00 |
| Mrs. Earle. Double scarlet flowers.. 9 inches | 2.00 | 12.00 |
| praecox. Large, soft yellow flowers. Silvery foliage. 9 inches. | 2.00 | 12.00 |
| rhodanthe carneum. Very large, clear pink flowers. Silvery foliage. 9 inches. | 2.00 | 12.00 |
| HELIOPSIS. | | |
| Pitcheriana. Golden yellow flowers throughout the summer. 3 ft. | 1.25 | 8.00 |
| HIBISCUS (Mallow) | | |
| Marvel Mallows. Pink, red, white with crimson eye; separate. | 1.50 | 10.00 |
| HEIRACIUM villosum. Soft, downy, silvery leaves and golden yellow flowers. 1 ft. June-July. | 1.50 | 10.00 |
| IBERIS (Candytuft) | | |
| sempervirens. An invaluable and popular spring flowering plant of dwarf and compact habit, bearing masses of snow white flowers produced in large trusses. 9 inches. April-May. | 1.25 | 8.00 |

| | Per Doz.—Per 100 | |
|--|------------------|-------|
| IBERIS (Candytuft) continued | | |
| “ Little Gem. A miniature variety of the above. | 2.00 | 12.00 |
| INCARVILLEA Delavayi. A somewhat rare plant of exceptional merit. The flowers are tubular in shape, like those of <i>Bigninia grandiflora</i> ; they are dainty pink in color, the throat being streaked with purple. They are borne in clusters of six to twelve flowers on stout upright stems. July. Strong flowering roots. | | |
| | 2.00 | 12.00 |
| INULA | | |
| ensifolia. Forms a compact, symmetrical clump and in July is covered with bright yellow flowers. 1 ft. | 1.50 | 10.00 |
| glandulosa. A little known plant of rare beauty. The flowers are golden and fully five inches across, with long thread like ray petals. Excellent for cutting. 2 ft. June-July. | 2.00 | 12.00 |
| IRIS GERMANICA | | |
| In the following descriptions S. denotes the erect or upper petals or standards; F. denotes the lower petals or falls. | | |
| Albert Victor. S. Soft blue; F. Lavender; 3½ ft. | 1.50 | 10.00 |
| Aurea. S. and F. Rich chrome yellow; 2 ft. | 1.50 | 10.00 |
| Chester Hunt. S. celestial blue; F. dark marine blue, bordered pale blue; 2½ ft. | 2.00 | 12.00 |
| Dr. Bernice. S. Coppery bronze; F. velvety crimson; 2 ft. | 2.00 | 12.00 |
| Gajus. S. Clear yellow; F. Crimson, reticulated white and yellow, with clear yellow margin; 2ft. | 2.00 | 12.00 |
| Her Majesty. S. rose-pink; F. bright crimson; 2½ ft. | 2.00 | 12.00 |
| Kochii. S. and F. rich claret-purple; 1½ ft. | 1.50 | 10.00 |
| Lohengrin. S. and F. soft cattleya-pink; 3 ft. | 2.00 | 12.00 |
| Loreley. S. light yellow; F. ultramarine-blue, bordered cream. 2 ft. | 2.00 | 12.00 |
| Mme. Pacquette. S. and F. bright rosy claret; 2½ ft. | 1.50 | 10.00 |
| Pallida dalmatica. S. pale lavender; F. deep lavender; 3 ft. | 2.00 | 12.00 |
| Perfection. S. light blue; F. velvety black; 2½ ft. | 2.00 | 12.00 |
| Princess Victoria Louise. S. Sulphur-yellow; F. rich plum with creamy margin. 2½ ft. | 2.00 | 12.00 |
| Queen of May. S. and F. soft rose-lilac; 2½ ft. | 1.25 | 8.00 |
| Rhein Nixe. S. pure white; F. deep violet-blue with white margin; 3 ft. | 2.00 | 12.00 |

| | Per Doz.— | Per 100 | | |
|--|-----------|---------|------|-------|
| IRIS GERMANICA (continued) | | | | |
| Wyomissing. S. creamy-white suffused delicate rose; F. deep rose with flesh-colored margin. 2 ft. | 2.00 | 12.00 | | |
| IRIS, Dwarf | | | | |
| cristata. A dwarf fairy like plant with soft blue, orange striped flowers. Easily grown in a rather moist, partially shaded position. 4 in. May. | 1.50 | 10.00 | | |
| pumila cyanea. Violet-purple.. 9 inches. May | 1.25 | 8.00 | | |
| " The Bride. Pure white. 9 inches. May. | 1.25 | 8.00 | | |
| LATHYRUS (Perennial Sweet Pea) | | | | |
| latifolius albus. A vigorous climber. White flowers. | 1.50 | 10.00 | | |
| " roseus. A pink variety. | 1.50 | 10.00 | | |
| LAVANDULA | | | | |
| vera (Sweet Lavender). A popular old-fashioned plant with fragrant blue flowers and foliage. 1½ to 2 ft. June July. | 1.50 | 10.00 | | |
| " Munstead Variety. A dwarf compact variety of the above and free flowering. Good for edg- ing or rock garden. 9 inches. June-July. | 2.00 | 12.00 | | |
| LEONTOPODIUM alpinum. (Edelweiss) White leaves and small yellow flowers surrounded by star- like heads of leaves clothed with a dense white woolly substance. 6 inches. May-June. | | | 2.00 | 12.00 |
| LIATRIS | | | | |
| pycnostachya. Long slender stems densely clothed with rosy purple flowers. 4 to 5 ft. July-Aug- ust. | 1.50 | 10.00 | | |
| scariosa. Deep purple. 2 to 3 ft. June-July. | 1.50 | 10.00 | | |
| LINUM (Flax) | | | | |
| perenne. A continuous succession of clouds of sap- phire blue flowers throughout summer. | 1.25 | 8.00 | | |
| " album. A white variety of the above. | 1.25 | 8.00 | | |
| LYCHNIS | | | | |
| alpina. Compact cushions of rich green leaves, studded in April and May with heads of pink flowers, 6 inches. | 1.50 | 10.00 | | |
| Viscaria splendens fl. pl. Intense crimson-scarlet, double flowers. 1 ft. June. | 2.00 | 12.00 | | |
| LYTHRUM virgatum Rose Queen. A symmetrical bush formed of numerous slender stems which are thickly covered three quarters of their length with rosy pink flowers. 3 to 4 ft. July-Sep- tember. | | | 1.50 | 10.00 |

Per Doz.—Per 100

MALVA

| | | |
|--|------|------|
| moschata. (Musk Mallow) Forms a branching bush about 2 ft. high and is covered throughout the summer with delicate pink flowers, 1 ½ inches in diameter. Slightly musk scented. Useful for cutting. | 1.25 | 8.00 |
| “ alba. A pure white variety of the above. | 1.25 | 8.00 |

| | | |
|--|------|-------|
| NEPETA Mussini. (Catmint) A many stemmed, somewhat trailing plant with silvery leaves, which during June bears spikes of lavender blue flowers in great profusion. Most effective if grown in large masses. 1 ft. | 1.50 | 10.00 |
|--|------|-------|

| | | |
|---|------|-------|
| OENOTHERA missouriensis. A fine trailing plant with very large, pale yellow flowers, five or six inches in diameter. One of the best perennials for rock garden or border. June to August. | 1.50 | 10.00 |
|---|------|-------|

ONOSMA (Golden Drop)

| | | |
|--|------|-------|
| stellatum. A rare and beautiful plant for the rock garden. It forms an evergreen tuft of leaves and bears during May and June drooping clusters of amber-colored, drop shaped blossoms, deciduously almond scented. It should be given a sunny well drained position. 9 to 12 in. | 3.00 | 20.00 |
|--|------|-------|

PAPAVER

| | | |
|---|------|-------|
| nudicaule. (Iceland Poppy). Yellow, orange and white. 1 ft. May-August. | 1.50 | 10.00 |
| orientale Mrs. Perry. Medium size flowers of a pleasing of pink. 3 ft. May-June. | 2.00 | 12.00 |

| | | |
|---|------|------|
| PARDANTHUS chinensis. (Blackberry Lily). Bright orange, lily-like flowers with brown purple spots, followed by conspicuous black seeds resembling blackberries. 3 ft. July-August. | 1.25 | 8.00 |
|---|------|------|

PENTSTEMON

| | | |
|--|------|-------|
| barbatus Torreyi. Graceful, tapering stems, covered with large tubular, scarlet flowers. 4 ft. June-August. | 1.50 | 10.00 |
| Digitalis. White, tubular flowers with purple throat. Good for cutting. 2 to 3 ft. June-July. | 1.50 | 10.00 |
| ovatus. Thick leathery leaves and spikes of blue flowers. 2 ft. June-July. | 1.50 | 10.00 |
| pubescens. Handsome spikes of purple flowers. 1 ½ ft. July. | 1.50 | 10.00 |

Per Doz.—Per 100

PHLOX. One of the most important families of hardy perennials and should be well represented in every collection. Phloxes are best suited by a deep, well manured soil and abundance of moisture.

| | | |
|--|------|-------|
| Albion. White with faint red eye. 2½ ft. | 1.25 | 8.00 |
| Bacchante. Fiery pink with crimson eye. 2 ft. | 1.25 | 8.00 |
| Bridesmaid. White with rose crimson eye. 2½ ft. | 1.25 | 8.00 |
| B. Comte. Brilliant French purple. 1½ ft. | 1.25 | 8.00 |
| Geffion. Soft pink with bright rose eye. 2 ft. | 1.50 | 10.00 |
| Gruppenkonigin. Flesh pink with carmine eye. 2 ft. | 1.50 | 10.00 |
| La Vogue. Rosy pink. 2 ft. | 1.25 | 8.00 |
| Mrs. Jenkins. Pure white; large trusses. 2½ ft. | 1.25 | 8.00 |
| Rosenberg. Carmine violet with reddish eye. 2 ft. | 1.25 | 8.00 |
| Rijnstroom. Rose pink; very large individual flowers. 2½ ft. | 1.50 | 10.00 |
| R. P. Struthers. Bright rosy red with crimson eye. 2 ft. | 1.25 | 8.00 |
| Thor. Very large trusses of dazzling pink flowers. 2 ft. | 1.50 | 10.00 |
| suffruticosa Miss Lingard. A good variety for cutting, pyramidal trusses of white flowers with faint lilac eyes. 2½ ft. June-September. | 1.50 | 10.00 |

PHLOX, Dwarf varieties

| | | |
|--|------|-------|
| amoena. Compact tufts of glossy green foliage and masses of vivid pink flowers in April and May. | 1.25 | 8.00 |
| carolina. Numerous slender stems, each terminating in a cluster of deep rose flowers. 1 ft. May. | 1.50 | 10.00 |
| divaricata. Trusses of large, fragrant, lavender flowers. 9 in. May. | 1.50 | 10.00 |
| subulata alba. (Moss Pink) Moss like foliage covered in April and May with sheets of white flowers. 6 inches. | 1.25 | 8.00 |
| “ G. F. Wilson. One of the best and most floriferous of spring flowering plants. Mats of glossy foliage completely hidden by sheets of starry, lavender flowers in April and May. | 2.00 | 12.00 |
| “ lilacina. A lilac variety. | 1.25 | 8.00 |
| “ rosea. A pink variety. | 1.25 | 8.00 |

PHYSALIS

| | | |
|--|------|------|
| Franchetti. (Winter Cherry) Bright orange bladder-like calyces enclosing a cherry-like fruit. Valuable for drying for winter decoration. 2 ft. October. | 1.25 | 8.00 |
|--|------|------|

Per Doz.—Per 100

PHYSOSTEGIA

| | | |
|--|------|-------|
| virginiana. Long slender spikes closely covered with pinkish mauve, tubular flowers. 3 ft. July-August. | 1.00 | 7.00 |
| “ alba. A white variety of the foregoing. | 1.00 | 7.00 |
| “ grandiflora. A plant of recent introduction and most valuable acquisition. It produces numerous stout, square stems 1 ft. to 1½ ft. high, each covered with large brilliant pink flowers, somewhat resembling a snap dragon in shape. The value of this plant is enhanced by its being an addition to the very few dwarf late flowering perennials. August-September. | 1.50 | 10.00 |

PINK, Hardy. A highly popular group of old fashioned garden plants, esteemed for their extreme floriferousness and delicious fragrance. 12 to 15 inches. May-June.

| | | |
|--|------|------|
| Excelsior. Delicate rose pink. | 1.25 | 8.00 |
| Her Majesty. Pure white, large flowers. | 1.25 | 8.00 |
| Homer. Deep rose with darker center. | 1.25 | 8.00 |
| Juliette. White, laced crimson. | 1.25 | 8.00 |
| Lord Lyon. Deep Rose. | 1.25 | 8.00 |
| White Reserve. Pure white. | 1.25 | 8.00 |

PLATYCODON (Balloon Flower)

| | | |
|--|------|------|
| gradiflorum. Blue bell-shaped flowers borne on slender stems. 2 ft. June-October. | 1.25 | 8.00 |
| “ album. A white variety of the above. | 1.25 | 8.00 |

PLUMBAGO Larpentae. (Leadwort) Forms compact tufts of innumerable wiry stems each one terminating in a dense truss of cobalt blue flowers. 1 ft. August-October.

1.50 10.00

POLEMONIUM

| | | |
|--|------|-------|
| reptans. An attractive early spring flowering plant bearing sprays of blue flowers on short stems. 9 inches. April-May. | 1.50 | 10.00 |
| Richardsoni. Blue flowers with yellow centers. 1 ft. June. | 1.50 | 10.00 |

PYRETHRUM

| | | |
|---|------|------|
| roseum. Daisy-like flowers varying in color from white to crimson. Useful for cutting. 2 ft. June. | 1.25 | 8.00 |
|---|------|------|

| | Per Doz.—Per 100 | | | |
|---|------------------|-------|------|-------|
| RANUNCULUS | | | | |
| repens fl. pl. Small double yellow flowers on branching stems. Valuable for cutting. 1 to 1½ ft. April-May. | 1.25 | 8.00 | | |
| RUDBECKIA | | | | |
| Golden Glow. Double, deep yellow flowers. 6 ft. July-September. | 1.25 | 8.00 | | |
| SAGINA glabra. Emerald green cushions of moss-like growth covered in spring with numberless small white flowers. 2 inches. | 1.50 | 10.00 | | |
| SALVIA | | | | |
| azurea grandiflora. Tall straight stems covered for half their length with sky-blue flowers. 4 to 5 ft. August-October. | 1.25 | 8.00 | | |
| pratensis. Handsome spike of blue flowers are produced continuously throughout the summer. 2 ft. | 1.50 | 10.00 | | |
| Sclarca. Large handsome leaves and spikes of pink and white flowers. 3 ft. July-August. | 1.50 | 10.00 | | |
| virgata nemorosa. Branching spikes of violet blue flowers in a continuous succession from June until frost. Should be freely used in all herbaceous plantings. 2 ft. | 2.00 | 12.00 | | |
| SANTOLINA incana. (Cotton Lavender) An aromatic, compact growing, half shrubby plant with silvery foliage. 1 ft. | | | 1.25 | 8.00 |
| SAPONARIA ocymoides. A good plant for carpeting in the herbaceous border or for trailing down slopes in the rock garden. Spangled with bright pink flowers in spring. | | | 1.50 | 10.00 |
| SAXIFRAGA crassifolia. Large, leathery, heart-shaped leaves and branching spikes of pink flowers in April and May. 1 ft. | | | 2.00 | 12.00 |
| SCABIOSA | | | | |
| caucasica. One of the finest of hardy plants, bearing a succession of large, soft lilac flowers on long stems, throughout summer. 2½ ft. | 2.00 | 12.00 | | |
| “ alba. A white variety of the above. | 2.00 | 12.00 | | |
| SCUTELLARIA (Skull Cap) | | | | |
| baicalensis coelestina. An uncommon plant that is insured great popularity when better known. It is one of the few plants that will flower from early summer until frost. The flowers are clear blue in color and resemble those of a Snapdragon in shape, they are profusely borne on thin wiry stems. 1½ ft. | 1.50 | 10.00 | | |

Per Doz.—Per 100

SEDUM

| | | |
|---|------|-------|
| acre. A dwarf grower which quickly forms a thick carpet off vivid green, moss-like foliage and is hidden by yellow flowers in May. | 1.50 | 10.00 |
| album. Small succulent leaves which turn reddish bronze in fall. Trusses of white flowers in June and July. 6 inches. An excellent edging plant. | 1.50 | 10.00 |
| hispanicum. A minute plant forming spreading tufts of gray foliage becoming bronze in fall. 3 in. | 1.50 | 10.00 |
| kamtschaticum. Leafy, prostrate stems which in July and August bear clusters of star-shaped, orange colored flowers. | 1.50 | 10.00 |
| lydium. Carpets of bright green foliage which turns reddish bronze during summer. 4 inches. | 1.50 | 10.00 |
| obtusatum. A rare and attractive stone crop.. Small, round, fleshy leaves; dull green in spring but turn red in summer. Yellow flowers. 4 inches. June. | 2.00 | 12.00 |
| sexangulare. Dwarf trailer; green foliage and yellow flowers. 6 inches. June-July. | 1.50 | 10.00 |
| stoloniferum. Large clusters of pink flowers on prostrate, trailing stems. 6 inches. June-July. | 1.50 | 10.00 |
| spectabile. Erect sturdy habit with broad glaucous leaves. The flowers are borne in large flat heads and rosy purple in color, they retain their beauty for 2 months. 1½ ft. August-September. | 1.25 | 8.00 |
| “ Brilliant. A deeper colored variety than the preceding, being a vivid amaranth red. | 1.25 | 8.00 |

SIDALCEA

| | | |
|---|------|-------|
| candida. Pure white, mallow-like flowers on slender graceful stems. 2½ ft. July. | 1.50 | 10.00 |
| Rose Queen. Rosy purple flowers.. 2½ ft.. July-August. | 1.50 | 10.00 |

STOKESIA

| | | |
|---|------|-------|
| cyanea. A showy plant with a lengthy flowering period, large blue flowers on somewhat straggling stems. 1½ ft. August-October. | 1.50 | 10.00 |
| “ alba. A white form of the preceding. | 1.50 | 10.00 |

| | | |
|---|------|-------|
| STATICE latifolia. (Sea Lavender) Branching flower stems bearing countless small, blue purple flowers which retain their color long after being cut and dried. Very good for cutting. 1½ to 2 ft. August-September. | 1.50 | 10.00 |
|---|------|-------|

| | Per Doz.—Per 100 | |
|--|------------------|-------|
| SWEET WILLIAM | | |
| Newport Pink. | 1.00 | 7.00 |
| Scarlet Beauty. | 1.00 | 7.00 |
| White. | 1.00 | 7.00 |
| THALICTRUM | | |
| <i>adiantifolium</i> . Clumps of maiden-hair like foliage and long spikes of loosely arranged, small, yellowish white flowers, good for cutting. They can be used in place of <i>Gypsophila paniculata</i> before that is available. 2½ ft. June-July. | 1.50 | 10.00 |
| <i>dipterocarpum</i> . Long graceful sprays of rosy purple flowers, with conspicuous yellow anthers, are borne over handsome fern-like foliage. 3-5 ft. June-July. | 2.00 | 12.00 |
| <i>glaucum</i> . Glauous foliage and large, feathery heads of yellow flowers. 4-5 ft. July. | 1.50 | 10.00 |
| THERMOPSIS caroliniana . A strong growing plant which forms a large bush and bears long sprays of clear yellow, lupine-like flowers. 3-4 ft. July. | 1.50 | 10.00 |
| THYMUS | | |
| <i>Serpyllum albus</i> . A fragrant, creeping rock plant quickly growing into a dense carpet, which becomes covered with white flowers in June and July. | 1.50 | 10.00 |
| “ <i>coccineus</i> . A scarlet flowered variety. | 1.50 | 10.00 |
| TRITOMA Pfitzeri . (Torch Lily) A very distinct and handsome late flowering perennial; tufts of grass-like foliage and thick fleshy stems covered with orange scarlet, tubular flowers. 2 to 3 ft. September-October. | 2.00 | 12.00 |
| TUNICA saxifraga . Tufts of grass-like foliage and stems bearing small rosy pink flowers. 6 inches. July-September. | 1.50 | 10.00 |
| VALERIANA officinalis . A strong growing and free flowering plant bearing large heads of faint pink flowers. 3 to 4 ft. June-July | 1.50 | 10.00 |
| VERONICA | | |
| <i>incana</i> . Compact masses of silvery gray foliage and deep blue flowers. 1 ft. May-June. | 1.50 | 10.00 |
| <i>repens</i> . Carpet of evergreen foliage entirely covered in spring with very pale blue flowers. 3 inches. | 1.50 | 10.00 |

Per Doz.—Per 100

VERONICA (Continued)

| | | |
|--|------|-------|
| rupestris. A prostrate trailer forming a thick green carpet which is almost hidden in May and June by myriads of clusters of deep blue flowers. 6 inches. | 1.50 | 10.00 |
| spicata. Spikes of blue flowers. 2 ft. June-August. | 1.50 | 10.00 |
| subsessillis. Stout erect stems of intense blue flowers. 2 to 3 ft. July-August. | 1.00 | 10.00 |
| Teucrium. The stems form spreading masses, covered in May and June with dense racemes of bright blue flowers. 1 ft. | 1.50 | 10.00 |

VIOLA

| | | |
|---|------|-------|
| pedata. (Bird's Foot Violet) Tufts of finely divided leaves and lilac blue flowers. 6 inches. April-May. | 1.50 | 10.00 |
|---|------|-------|

Jersey Gem. One of the best hardy plants of recent introduction, and one that cannot be too highly praised; it possesses every good quality that a plant should, and as far as we know, no bad ones. It blooms freely and continuously from spring until frost, and the flowers, royal purple in color, are not affected by the sun. Its foliage is a rich, healthy green, and its habit of growth is neat and compact. In the garden it can be used for edging or massing in beds and borders, and would not be inappropriate on the rock garden. Its flowers are valuable for cutting and are in good demand and we suggest that it would be a good subject for gentle forcing.

We feel that our catalogue has been brought to a good conclusion by such an excellent plant.

2.50 15.00

